Explication of Fig. 2. Tab. 1.

- A. The right Kidney, whose superfice seemed to be variously divided.
- B. The Emulgent Vein.
- C. The Emulgent Artery.
- d. d. Two Ureters belonging to this Kidney.
- Fig. 3. Represents the two Ureters of the left Kidney, which a little below the Kidney are both inclosed in a common Capfula or Case, and so continued to the Bladder.
- Fig. 4. Represents the Glandula Renales.
- A. The Glandula Renalis of the right side.
- B.— that of the left fide.
- C. The Vena Gava.
- d. A vein or ductus opening from the cavity of this Gland and entering the Vena Gava.
- e. A Vein from the left Glandula Renalis, and is inserted into a branch of the left Emulgent.

Observationes D. Anthonii Lewenhoeck, de Natis è semine genitali Animalculis.

Nec non Auctoris barum Transactionum Responsa.

Observatoris Epistola Honoratiss. D. D. Vicecomiti Brouncker, Latine conscripta; Dat. Nov., 1677. quam ipsissimis huc transmissimis verbis inserendam Auctor censuit.

Nobiliffimè Vir,

Ltima ad Vestram Nobilitatem data littera prateriti mensis decimo sexto, quamvis jam Nob. Vestra utilissima megotia non interrumpere, animo proposucram, antequam certo scirem scirem quis mihi in futurum adeundus: Tempus tamen otio terere in tantum nequivi, quin sequentia naturæ miracula Nob. vestræ transmittam, sirmà spe fretus mepponetan hanc, Nobilitatem

Vestram in bonam partem accepturam.

Postquam Exc. Dominus Prosessor Cranen, me visitatione sua sepius honorarat, literis rogavit, Domino Ham cognato suo, quasdam observationum mearum videndas darem. Hic Dominus Ham me secundo invisens, secum in lagunculâ vitreâ semenviri, Gonorrhæâ laborantis, sponte destillatum, attulit, dicens, se post paucissienas temporis minutias (cum materia illa jam in tantum esset resoluta, ut sistula vitreæ immitti posset) animalcula viva in eo observasse, quæ caudata, & ultra 24 horas non viventia judicabas: Idem referebat se animalcula observasse mortua post sumtam ab ægroto Terebinthinam. Materiam prædictam sistulæ viteræ immissam præsente Domino Ham, observavi, quasdamque in ea creaturas viventes; at post decursum 2 aut 3 horarum, eandem solus materiam observans, mortuas vidi.

Eandem materiam (semen virile) non agroti alicujus, non diuturna conservatione corruptam, vel post aliquot momenta fluidiorem factam, sed sani Viri statim post ejectionem,ne interlabentibus quidem sex arteria pulsibus, sapiuscule observavi, tantamque in ea viventium animalculorum multitudinem vidi, ut interdum plura quam 1000. in magnitudine arenæ sese moverent. Non in toto semine, sed in materia fluida crassiori adherente, ingentem illans animalculorum multitudinem observavi; in crassiori vero seminis materia, quasi sine motu jacebant; quod inde provenire mihi imaginabar, quod materia illa crassa ex tam variis cohareat partibus ut animalcula in ea se movere nequirent. Minora globulis sanguini ruborem adferentibus hac animacula erant: ut judicem millena millia arenam grandiorem magnitudine non aquatura. Corpora eorum rotunda, anteriora obtusa, posteriora ferme in aculeum desinentia habebant; cauda tenui longitudine corpus quinquies sexiesve excedente, & pellucidà; crassitiem nero ad 25. partem corporis habente prædita erant, adeo ut ea quoad siguram cum cyclaminis minoribus longam caudam habentibus optime comparare queam: Motu cauda serpentino, aut ut anguilla in aqua natantis progrediebantur; in materia vero aliquantulum crassiori, caudam octies deciesve quidem evibrabant, antequam latitudi. nem capilli procedebant. Interdum mihi imaginabar, me internoscere posse ad huc varias in sorpore horum animalculorum partes, quia vero continuo eas videre nequibam, de iis tacebo. His animalculis minora adhuc animalcula, quibus non nisi globuli siguram attribuere possum, permista erant.

Memini me ante tres vel quatuor annos, rogatu Domini Oldenburg B.M. semen vivile observasse, & prædicta animalcula pro globulis habuisse; sed quia fastidiebam ab ulteriori inquisitione. & magis quidem a descriptione, tum temporis eam omisi. Et quæ adhuc observo ea sunt, quæ absque ulla mei peccaminosa coinquinatione, natura post coitum conjugalem relinquit: & sivestra Nobilitas judicet hæc vel nauseam, vel scandalum eruditis paritura, subnixè rogo Nobilitas Vestra sibi soli reservet, & ubi consultum ducit vel promat vel supprimat.

Jam quod ad partes ipsas, ex quibus crassam seminis materiam, quoad majorem sui partem consistere sepius cum admiratione observavi, ea sunt tam varia ac multa omnis generis magna ac parva vasa ut nullus dubitem ea esse nervos, arterias & venas: imo in tanta multitudine hac vasa vidi, ut credam me in unica seminis gutta plura observasse quam Anatomico per integrum diem subjectum aliquod secanti, occurrunt. Quibus visis sirmiter credebam nullo in corpore humano, jam formato, esse vasa qua in semine virili, bene constituto, non reperiantur.

Semel mihi imaginabar me videre figuram quandam, ad magnitudinem arenæ quam internæ cuidam corporis nostri parti comparare poteram. Cum materia hac per momenta quadam aeri fuisset exposita, prædicta vasum multitudo in aquosam magnis oleaginosis globulis permistam, materiam mutabatur : quales globulos inter medulla spinalis vasa interjacere antehac dixi. Hisce oleaginosis globulis visis mihi imaginabar, quod forsan fuerint vasa convehendis spiritibus animalibus inservientia: eaque ex tammolli consistere materia, ut, intermittente humoris vel spirituum animalium transfluxu, illicò in globulos oleaginosos diversa magnitudinis coalescant; præcipuè cum aeri exponuntur. Et cum prædicta materia paucillum temporis steterat, in ea observabantur trilaterales figuræ ab utraque parte in aculeum desinentes, quibusdam longitudo minutissima arena, aliqua aliquantulum majores, ut fig. A. Fraterea, adeo nitida ac pellucida, ac si crystalline fuissent.

Hac sunt ter Nobilissime Vir, que Nobilitati Vestra, reliquoque enuditorum agmini Philosophorum communicare propesueram: Subnixè Subnixè rogans Nobilitas Vestra velit acceptas has responso signisicare: interim post objetionem omnis generis servitiorum mansurus,

Nobilitati Vestræ addictissimus, & subsignaverat ANTHONIUS LEWENHOECK.

Auctoris ad Observatorem Responsum.

Cl. Vir.

Ciam, Se tuas Literas Nov. datas, exiique hand mediocrem delectationem, accepisse. Qualem ex earum lectione, me ipsum etiam, affecisse agnosco. Proponerem, Domine, si non displicuerit easdem Observationes in semine Brutorum, ut Canum, Lauorum, aliorumque, tentandas. Eâ ratione, ut non solum quas fecisti ab omni post hac dubio melius vindices: verum etiam, si qua Animalculorum, vel quoad numerum, vel etiam siguram esset

differentia, tuæ sagaci investigationi innotesceret.

Quod ad Vasa attinet, qua Tibi sa'tem vidèris in parte seminis crassiori observasse; harere me dubium non distiteor. Quippe cùm non videam, quor sum Natura istiusmodi Vasa fabricasset. Omnino enim negat noster Harvejus (lib. de Generatione Animal.) se unquam in Utero statim à Coitu dissecto, semen maris invenisse. Et Dostiss de Graff. (lib. de partibus Famin. Gener. dicatis) audaster. & quantum ex propriis Observationibus intelligo, restissim a seruit, Quód Testes Faminea sint bina Ovaria; in quorum aliquo Ovo maxime maturo. E per Tubam Fallopianam in Uterum illapso, Fatus efformatur. Adeo ut Semen Maris nihil aliud sit, quàm Vehiculum Spiritus cujusdam summe volatilis ac animalis. Conceptioni, i. e. Ovo Famineo contactum vitalem imprimentis.

Quare, & quæ Tibi videbatur Vasorum congeries, sortassis, Seminis sunt quædam filamenta, haud organicè constructa, sed dum permeârunt Vasa Generationi inservientia, in istiusmodi siguram Elongata. Non dissimili modo, ac sæpius notatus sum salivam crassiorem, ex Glandularum Faucium foraminibus editam, quast è convolutis sibrilis constantem. Quæ de his ulterius experiri non gravatus sueris, avidè spero me ac cepturum. Vale. Dat.

Lond. Cal. Jan. 1677.

Observatoris præmissis Literis Responsis Dat. Mart. 18. 75. & Teutonice conscripti, Capitula.

Te rogatum est, ut Observationes meas è Semine etiam

A Brutorum desumptas & repetitas transmittam, &c.

Siquando Canes coeunt, Marem à Famina statim seponas, materia quadam tenuis & aquosa, (Lympham spermaticam intelligit) è Pene solet paulatim exstitlare. Hanc materiam numerosissimis Animalculis repletam aliquoties vidi; corum magnitudine, que in Semine Virili conspiciuntur. Quibus particulæ globulares aliquot quinquagies majores permiscebantur.

Quod ad Vasorum in crassiori Seminis Virilis portione spectabilium Observationem attinet, denuo non semeliteratam, saltem mibimet ipsi comprobasse videor. Meque omnino persuasum habeo, Cuniculi, Canis, Felis Arterias Venasve suisse à peritissimo Anatomico hand unquam magis perspicule observatas, quam mihi Vasa in Semine Virili, ope perspicili, in conspectum venêre.

Cum mihi pradicta Vasa primum innotnere, Statim etiam Pituitam, tum & saliwam Perspicillo applicavi. Verum hic mi-

nime existentia Animalia frustra que sivi.

A Guniculorum coitu, Lympha spermatica guttulam unam & alteram e Famella extillantem examini subjeci; ubi Animalia prædictorum similia, sed longe pauciora comparuere. Globuli item quam plurimi, plerique magnitudine Animalium, iisdem permisti sunt.

Horum Animalium aliquot etiam Delincationes transmissi. Figura 1. exprimit eorum aliquod vivum, (in Semine Cuniculorum arbitrot) eaque formâ, quâ videbatur, dum aspicientem me versus tendit. ABC. Capitulum cum Trunco indicant. CD. ejusdem Caudam. Quam, pariter ut suam Anguilla, inter natandum vibrat. Horum millena millia, quantum conjecture est, Arenula majoris molem vix superant. Fig. 2,3,4. sunt ejusdem generis Antmalia, sed jam emortua.

Fig. 5. delineatur vivum Animalculum, quemadmodum, in Semine Canino, sese aliquoties mini attentius intuenti exhibuit. EFG. Caput cum Truneo indusitant: GH. ejusdem Caudam. Fig. 6,7,8. alia sunt in Semine Canino, que motu & virâ privantur. Qualium, etiam vivorum numerum adeo ingentem vidi, ut judicarem, portionem Lymphe spermatice Arenule mediocri respondentem, corum, ut minimum, decena millia continere.

Ex aliis Observatorie Literis, Dat. Maii 31. 78. etiam Teutonice conscriptis, aliquot huc spectantia excerpta.

S Eminis Canini tantillum Microscopio applicatum iterum con-contemplatus sum; ineoque antea descripta Animalia numerossssima conspexi. Aqua pluvialis pari quantitate adjecta, iisdem confestim mortem accersit.

Ejusdem Seminis Ganini portiunculà in vitreo Tubulo uncie partem duodecimalem crasso servata sex & triginta horarum spatio contenta Animalia vita destituta pleraque, reliqua moribunda vi-

debantur.

Quo de Vasorum in Semine Genitali existentià magis constaret, delineationem eorum aliqualem mitto; ut in Fig. ABCDE. Quibus literis circumscriptum spatium arenulam modiocrem vix supe-TAT.

De Vasis, quoniam Author dubiis, ex Observationibus Anatomicis oriundis, quarum antea ex parte meminit, immoratur; ideo sequentia regerenda judicavit.

---- Que videntur Vasa sive partes Organice & Tubulares, revera seminis cocti & coaquiati filamenta viscosa è Vasis Testiculorum propriis ejaculata judicamus. Quor sum autem Vasa, si Famina Ova hac suppeditent? Et si Ova Gallinacea, quidni & Muliebria? Atqui muliebria, ubi, inquis, inventa sunt? In Ovariis. Que, quam insulse Testicula nuncupantur, vel exindepatet, quòd Vasa duntaxat sanguinea, nulla sibi propria obtineant. Econtra, Ovaria quam appolité? utpote Ovorum, seu vesicularum, Lympha viscosa, instar Albuminis Ovi, distentarum, duplex congeries. Adeo autem pertinaciter sibi invicem adhærent, quod immatura conspiciantur. Quin neque vel Avium Ova, prius quam matura, absque violenta divulsione ab Ovario solvuntur. Fariter ut videmus Glandes Nucesue Avellanas adbuc minusculas, caliculis suis firmà continuitate infixas teneri: quæ tamen astivo tempore, tactu excutiuntur mollissimo. Deinde, si Filicula ista viscosa, qua pro Vasis ostendis, verè talia sint, ut supervacanea essent, ita etiam Generationi prorsus inepta. Adeo enim intransitu è Mari in Faminam implicarentur (quod et iam ostendunt a Te exaratæ figuræ) ut Natura longè facilius opus moliretur 6 X 2 extruendo

extruendo nova Vasa quam hac, si Vasa, in ordinem regularem & generationi idoneam restituendo. Observationes demum quas Transactionibus proxime editis & edendis (Num. 139 & 140) inserui, altera de Fatu non matris in utero sed abdomine invento, altera de Testiculo s. potius Ovario cujusdam mulieris Hydropico, remomni dubio sorsan extricabunt.

The Art of Refining, communicated by Dr. Christopher Merrit.

He end hereof, is the separation of all other Eodies from Gold and Silver; which is performed four ways, viz. By Parting, by the Test, by the Almond Furnace or the Sweep, and by Mercury.

PARTING is done with Aqua fortis, which the Refiners

make thus, Be salt Peter toili. Dantzick Vitriol toil.

Let them be well bruised and mixed in a Morter and then put into a Long-neck, which is an Earthen Vessel so same from its Figure. Then six or eight of these Long-necks thus silled, are placed in each side of their Furnace, on a Range built with Iron Barrs, of the form of a parabola, at above nine Inches distance one from another, and closed at the sides with Bricks. The upper Arches are lest open to put in and take out the Pots. Over the said Arches they say large Bars of Iron, and then cover all the top of the Furnace with Lome, the Body of each Long-neck lying naked to the Fire, the Neck outward; to which the Receivers, whether of Glass or German Pots, are well Luted.

Note that if the Vitriol be not Dantzick, which is made with Copper; but Fnglish, which is made with cld Iron; the Water will be weaker, and make a dirty coloured Verditer, and wholly spoile it; besides, the Silver will not gather so well to the Copperaster dissolution, and thereby becomes black.

Their Lute is made of good Lome, some Horse Dung, and a little Colcothar; although the two former do well. The luting being well labour'd and applyed, they make a gentle Charcoal fire under the Pots, for three hours, and then increase it for three hours more: about the seventh hour, they make a vehement hot Fire for sour hours, and cast in at last well dried Billets of the length of the Furnace, whose slaine













